7 SELECT TUSSIN DM- dextromethorphan hbr, guaifenesin solution 7-Eleven

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

7-Eleven Tussin DM Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	10 mL every 4 hours	
children under 12 years	do not use	

Other information

- each 10 mL contains: sodium 6 mg
- store at 20-25°C (68-77°F).

 Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Robitussin® Cough + Chest Congestion DM active ingredients

Peak Cold

Adult

Tussin DM

Cough Suppressant

(Dextromethorphan HBr)

Expectorant (Guaifenesin)

Cough & Chest

Congestion DM

Relieves

Cough


Mucus

For Ages 12 & Over

Non-Drowsy

Dosage Cup Included

4 FL OZ (118 mL)



Expectorant (Guaifenesin) (Dextromethorphan HBr) Juessauddns y bno uissni



Adult Tussin DM


Cough Suppressant (Dextromethorphan HBr) Expectorant (Guaifenesin)

> Cough & Chest Congestion DM

> > Mucus

Non-Drowsy







Adult

Cough Suppressant (Dextromethorphan HBr) Expectorant (Guaifenesin)

> Cough & Chest Congestion DM

> > Mucus

(118 mL)



Dosage Cup Included

Drug Facts

Active ingredients
(in each 10 mL)
Dextromethorphan HBr,
USP 20 mg......Cou
Guaifenesin, USP 200 mg.....

..Cough suppressant

- Uses

 It emporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

 helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

Ask a doctor before use if you have cough that occurs with too much phlegm (mucue)

cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- In octor15

 do not take more than 6 doses in any
 24-hour period

 measure only with dosing oup provided
 keep dosing oup with product

 m.L. = milliliter

 this adult product

- this adult product is not intended for use in children under 12 years of age

Drug Facts (continued)

	_
age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

Other information

■ each 10 mL contains: sodium 6 mg ■ store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Cough + Chest Congestion DM.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

DISTRIBUTED BY 7-ELEVEN, INC. DALLAS, TX 75201 WWW.7-ELEVEN.COM

Satisfaction Guaranteed 1-800-255-0711



www.StopMedicineAbuse.org



LOT NO.

EXP.

13 dz JSP2E :

7 SELECT TUSSIN DM

dextromethorphan hbr, guaifenesin solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:10202-359 **Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
MENTHOL (UNII: L7T10EIP3A)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color	RED (clear)	Score	
Shape		Size	
Flavor	CHERRY (Fruity)	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:10202-359-26	1 in 1 CARTON	05/31/2016	06/30/2021
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/31/2016	06/30/2021

Labeler - 7-Eleven (007347602)

Revised: 9/2019 7-Eleven